


GV10 tent



PACKED WEIGHT

1,910 kg

The GV10 tent is ideally suitable for conference room, office room, dining facility, maintenance workshop and command post. The GV10 tent model offers 220 sqm easily set up within 1 hour and 30 minutes by 5 people.

DIMENSIONS

Footprint	8.10 × 27.00 m	Overall width	8.10 m
Height at the centre	4.65 m	Height at the sides	2.50 m
Sections of 5.40 m	5	Internal width at ground level	7.8 m
Internal width below the first slope	7.3 m	Internal width at the top	3.9 m
External height at the second slope	3.5 m		

PACKING AND SET-UP

The complete shelter, in 25 packages

1,910 kg

Frame (body) part 1	152 kg
Frame (body) part 2	152 kg
Frame (body) part 3	152 kg
Frame (body) part 4	152 kg
Frame (body) part 5	152 kg
Frame (legs) part 1	70 kg
Frame (legs) part 2	70 kg
Frame (legs) part 3	70 kg
Frame (legs) part 4	70 kg
Frame (legs) part 5	70 kg
Main canvas part 1 Depends on the configuration (doors, gable ends, windows,...)	120 kg
Main canvas part 2 Depends on the configuration (doors, gable ends, windows,...)	120 kg
Main canvas part 3 Depends on the configuration (doors, gable ends, windows,...)	120 kg
Main canvas part 4 Depends on the configuration (doors, gable ends, windows,...)	120 kg
Main canvas part 5 Depends on the configuration (doors, gable ends, windows,...)	120 kg
Staking kit part 1	35 kg
Staking kit part 2	35 kg
Staking kit part 3	35 kg
Staking kit part 4	35 kg
Staking kit part 5	35 kg
Bracing straps kit part 1	5 kg
Bracing straps kit part 2	5 kg
Bracing straps kit part 3	5 kg

Bracing straps kit part 4	5 kg
Bracing straps kit part 5	5 kg

TECHNICAL SPECIFICATIONS

Available configurations

Frame colour	Black	Canvas colour	NATO green, sand or white
Frontal cargo door	3,8m x 3,3m (WxH)	Frontal pedestrian door	1,8m x 2m (WxH)
Lateral pedestrian door	Optional : 1,8m x 2m (WxH)	Lateral windows	Yes with crystal + external shutter
Mosquito net on lateral windows	Optional	Ground sheet	Fully welded or velcro
Polyester inner liner	Optional	Insulated inner liner	Optional
Thermal fly	Optional	CBRN liner	Optional
Partition curtain	Optional	Protective ground sheet	Optional
Connection to container or vehicle	Optional	Blackout capability	Optional
Ceiling net	Yes	Sleeve	4
Additional sleeves	Optional	Marking / logo	Optional
Flammability of the fabrics	M2	Fabrics repair kit	Yes
Setting-up kit	Yes		

FIELDS OF USE

Command posts	Base camp and life support	Mobile workshop
Field hospital and advanced medical post	CBRN collective protection	

PRODUCTION PLANT

I-4S France
47 rue des Églantiers
57660 Grostenquin, France

SALES OFFICE

I-4S
203 rue du Parc
L-3542 Dudelange, Luxembourg

CONTACT

+33 3 72 39 10 00
contact@i-4s.eu
i-4s.eu/en/products/gv10-tent/