


S5 airlock



SET-UP



< 5 min

PACKED WEIGHT

89 kg

The S5 airlock is ideally suitable to protect the entrance of a tent and can be specifically used as entry or exit airlock for CBRN COLPRO systems. The S5 airlock model offers 5 sqm easily set up within 5 minutes by 2 people.

DIMENSIONS



Footprint	2.20 × 2.20 m
Overall width	2.20 m
Usable width	2.00 m
Height at the centre	2.20 m
Standing height	2.20 m
Sections of 2.20 m	1

PACKING AND SET-UP

The complete shelter, in 3 packages **89 kg**

39 kg	37 kg	13 kg
-------	-------	-------

■ Frame (body + legs)	39 kg
■ Main canvas Depends on the configuration (doors, gable ends, windows,...)	37 kg
■ Staking kit	13 kg

TECHNICAL SPECIFICATIONS

Available configurations

Frame colour	Black	Canvas colour	NATO green, sand or white
Lateral door	Optional	Windows on front doors	Yes with crystal + mosquito net + external shutter

< 5 min
Deployed by 2 people

Mosquito net on lateral windows	Optional	Ground sheet	Fully welded or velcro
Polyester inner liner	Optional	Insulated inner liner	Optional
Thermal fly	Optional	CBRN liner	Optional
Partition curtain	Optional	Protective ground sheet	Optional
Connection to container or vehicle	Optional	Blackout capability	Optional
Ceiling net	Yes	Sleeve	Optional
Flammability of the fabrics	M2	Fabrics repair kit	Yes
Setting-up kit	Yes	Front door	At each end
Lateral windows	Optional	Marking / logo	Optional

FIELDS OF USE

Command posts	Field hospital and advanced medical post	Base camp and life support
		CBRN collective protection

PRODUCTION PLANT

I-4S France
47 rue des Églantiers
57660 Grostenquin, France

SALES OFFICE

I-4S
203 rue du Parc
L-3542 Dudelange, Luxembourg

CONTACT

+33 3 72 39 10 00
contact@i-4s.eu
i-4s.eu/en/products/s5-airlock/